

In the Patients section of the abstract “irbesartan was renoprotective in patients with type 2 diabetes, hypertension, and microalbuminuria” (1), the two  $\geq$  symbols should be  $\leq$  symbols.

**Reference**

1. Irbesartan was renoprotective in patients with type 2 diabetes, hypertension, and microalbuminuria [Abstract]. ACP J Club. 2002 May-Jun;136:82. Abstract of: Parving H-H, Lehnert H, Bröchner-Mortensen J, et al., for the Irbesartan in Patients with Type 2 Diabetes and Microalbuminuria Study Group. The effect of irbesartan on the development of diabetic nephropathy in patients with type 2 diabetes. N Engl J Med. 2001 Sep 20;345:870-8.

In the Intervention section of the abstract “Irbesartan reduced progression of nephropathy caused by type 2 diabetes independent of the effect on blood pressure” (1), the two  $\geq$  symbols should be  $\leq$  symbols.

**Reference**

1. Irbesartan reduced progression of nephropathy caused by type 2 diabetes independent of the effect on blood pressure [Abstract]. ACP J Club. 2002 May-Jun;136:83. Abstract of: Lewis EJ, Hunsicker LG, Clarke WR, et al., for the Collaborative Study Group. Renoprotective effect of the angiotensin-receptor antagonist irbesartan in patients with nephropathy due to type 2 diabetes. N Engl J Med. 2001 Sep 20;345:851-60.

In the fourth column, last row of the Table of the abstract “overall satisfaction increased more with inhaled insulin than with subcutaneous insulin in type 1 diabetes” (1), there should be a || symbol after the 10%.

**Reference**

1. Overall satisfaction increased more with inhaled insulin than with subcutaneous insulin in type 1 diabetes [Abstract]. ACP J Club. 2002 May-Jun;136:101. Abstract of: Gerber RA, Cappelleri JC, Kourides IA, Gelfand RA. Treatment satisfaction with inhaled insulin in patients with type 1 diabetes. A randomized controlled trial. Diabetes Care. 2001 Sep;24:1556-9.

In both rows of the first column, of the Table of the abstract “Montelukast moderately decreased asthma symptoms in children with persistent asthma” (1), the word system should be symptom.

**Reference**

1. Montelukast moderately decreased asthma symptoms in children with persistent asthma [Abstract]. ACP J Club. 2002 May-Jun;136:102. Abstract of: Knorr B, Franchi LM, Bisgaard H, et al. Montelukast, a leukotriene receptor antagonist, for the treatment of persistent asthma in children aged 2 to 5 years. Pediatrics. 2001 Sep;108:e48.

In the last row of the first column, of the Table of the abstract “1 of 2 quality-improvement interventions for depression in managed care was more effective but more costly than usual care” (1), there should be a || symbol after the word *costs*.

**Reference**

1. 1 of 2 quality-improvement interventions for depression in managed care was more effective but more costly than usual care [Abstract]. ACP J Club. 2002 May-Jun;136:116. Abstract of: Schoenbaum M, Unützer J, Sherbourne C, et al. Cost-effectiveness of practice-initiated quality improvement for depression. Results of a randomized controlled trial. JAMA. 2001 Sep 19;286:1325-30.